

**PALOS VERDES LANDFILL  
REMEDIAL INVESTIGATION REPORT**

**APPENDIX B.3.1.5  
TRIP BLANK RESULTS**

TABLE B.2.1-1  
 Comparison of Trip Blank Detections  
 to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
 INVESTIGATION REPORT

Sample Date of Trip Blank                    03/31/88  
 Job Number of Trip Blank                    SJ53144

Contaminant in Trip Blank                    METHYLENE CHLORIDE  
 Concentration in Trip Blank (ug/l)                    1.00

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ53140                    L3	METHYLENE CHLORIDE	2.70
SJ53141                    L4	METHYLENE CHLORIDE	0.70
SJ53142                    L5	METHYLENE CHLORIDE	0.60
SJ53143                    L6	METHYLENE CHLORIDE	1.00

Sample Date of Trip Blank                    04/28/88  
 Job Number of Trip Blank                    SJ54291

Contaminant in Trip Blank                    METHYLENE CHLORIDE  
 Concentration in Trip Blank (ug/l)                    7.50

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ54287                    PV3	METHYLENE CHLORIDE	2.90

TABLE B.2.1-1  
Comparison of Trip Blank Detections  
to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
INVESTIGATION REPORT

Sample Date of Trip Blank 06/24/88  
Job Number of Trip Blank SJ56391

Contaminant in Trip Blank ACETONE  
Concentration in Trip Blank (ug/l) 14.00

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ56387 M30B	ACETONE	20.00
SJ56388 M32B	ACETONE	16.00
SJ56389 M33B	ACETONE	22.00
SJ56390 M34B	ACETONE	10.00

Sample Date of Trip Blank 06/24/88  
Job Number of Trip Blank SJ56391

Contaminant in Trip Blank METHYLENE CHLORIDE  
Concentration in Trip Blank (ug/l) 2.10

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ56390 M34B	METHYLENE CHLORIDE	0.90

TABLE B.2.1-1  
 Comparison of Trip Blank Detections  
 to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
 INVESTIGATION REPORT

Sample Date of Trip Blank                    06/27/88  
 Job Number of Trip Blank                    SJ56438

Contaminant in Trip Blank                    ACETONE  
 Concentration in Trip Blank (ug/l)        34.00

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ56425                    M36A	ACETONE	10.00
SJ56426                    M37A	ACETONE	15.00

Sample Date of Trip Blank                    06/28/88  
 Job Number of Trip Blank                    SJ56474

Contaminant in Trip Blank                    ACETONE  
 Concentration in Trip Blank (ug/l)        27.00

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ56470                    M40A	ACETONE	10.00
SJ56471                    M41A	ACETONE	10.00
SJ56473                    M44A	ACETONE	15.00

TABLE B.2.1-1  
 Comparison of Trip Blank Detections  
 to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
 INVESTIGATION REPORT

Sample Date of Trip Blank                    06/29/88  
 Job Number of Trip Blank                    SJ56519

Contaminant in Trip Blank                    ACETONE  
 Concentration in Trip Blank (ug/l)        30.00

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ56515                    M45A	ACETONE	40.00

Sample Date of Trip Blank                    06/29/88  
 Job Number of Trip Blank                    SJ56519

Contaminant in Trip Blank                    METHYLENE CHLORIDE  
 Concentration in Trip Blank (ug/l)        1.40

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ56515                    M45A	METHYLENE CHLORIDE	0.80
SJ56517                    M43A	METHYLENE CHLORIDE	1.50

TABLE B.2.1-1  
 Comparison of Trip Blank Detections  
 to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
 INVESTIGATION REPORT

Sample Date of Trip Blank 07/19/88  
 Job Number of Trip Blank SJ57223

Contaminant in Trip Blank ACETONE  
 Concentration in Trip Blank (ug/l) 12.00

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ57219 M03A	ACETONE	11.00
SJ57220 M03B	ACETONE	42.00

Sample Date of Trip Blank 07/19/88  
 Job Number of Trip Blank SJ57223

Contaminant in Trip Blank METHYLENE CHLORIDE  
 Concentration in Trip Blank (ug/l) 0.70

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ57219 M03A	METHYLENE CHLORIDE	0.60
SJ57221 M06A	METHYLENE CHLORIDE	2.10

TABLE B.2.1-1  
Comparison of Trip Blank Detections  
to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
INVESTIGATION REPORT

Sample Date of Trip Blank 07/20/88  
Job Number of Trip Blank SJ57250

Contaminant in Trip Blank ACETONE  
Concentration in Trip Blank (ug/l) 10.00

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ57249 M07B	ACETONE	12.00

Sample Date of Trip Blank 09/06/88  
Job Number of Trip Blank SJ59212

Contaminant in Trip Blank ACETONE  
Concentration in Trip Blank (ug/l) 63.00

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ59206 S7	ACETONE	130.00

TABLE B.2.1-1  
 Comparison of Trip Blank Detections  
 to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
 INVESTIGATION REPORT

Sample Date of Trip Blank                    09/07/88  
 Job Number of Trip Blank                    SJ59226

Contaminant in Trip Blank                    ACETONE  
 Concentration in Trip Blank (ug/l)        30.00

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
<hr style="border-top: 1px dashed black;"/>		
SJ59224                    M23A	ACETONE	210.00

Sample Date of Trip Blank                    10/12/88  
 Job Number of Trip Blank                    SJ60559

Contaminant in Trip Blank                    METHYLENE CHLORIDE  
 Concentration in Trip Blank (ug/l)        1.30

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
<hr style="border-top: 1px dashed black;"/>		
SJ60555                    M03A	METHYLENE CHLORIDE	2.60
SJ60556                    M03B	METHYLENE CHLORIDE	2.60



TABLE B.2.1-1  
Comparison of Trip Blank Detections  
to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
INVESTIGATION REPORT

Sample Date of Trip Blank 10/14/88  
Job Number of Trip Blank SJ60658  
Contaminant in Trip Blank METHYLENE CHLORIDE  
Concentration in Trip Blank (ug/l) 2.10

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ60657 M04B	METHYLENE CHLORIDE	2.30

Sample Date of Trip Blank 06/14/89  
Job Number of Trip Blank SJ75990  
Contaminant in Trip Blank METHYLENE CHLORIDE  
Concentration in Trip Blank (ug/l) 1.20

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ75986 M23A	METHYLENE CHLORIDE	2.80

TABLE B.2.1-1  
Comparison of Trip Blank Detections  
to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
INVESTIGATION REPORT

Sample Date of Trip Blank 07/07/89  
Job Number of Trip Blank SJ76918

Contaminant in Trip Blank ACETONE  
Concentration in Trip Blank (ug/l) 45.00

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ76914 M05B	ACETONE	180.00

Sample Date of Trip Blank 07/10/89  
Job Number of Trip Blank SJ76989

Contaminant in Trip Blank ACETONE  
Concentration in Trip Blank (ug/l) 29.00

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ76986 M04B	ACETONE	290.00

TABLE B.2.1-1  
Comparison of Trip Blank Detections  
to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
INVESTIGATION REPORT

Sample Date of Trip Blank 09/01/89  
Job Number of Trip Blank SJ79122

Contaminant in Trip Blank ACETONE  
Concentration in Trip Blank (ug/l) 16.00

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ79121 M43A	ACETONE	14.00

Sample Date of Trip Blank 09/06/89  
Job Number of Trip Blank SJ79214

Contaminant in Trip Blank ACETONE  
Concentration in Trip Blank (ug/l) 23.00

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ79210 M40A	ACETONE	82.00
SJ79211 M41A	ACETONE	5.20
SJ79212 M42A	ACETONE	41.00

TABLE B.2.1-1  
 Comparison of Trip Blank Detections  
 to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
 INVESTIGATION REPORT

Sample Date of Trip Blank                    09/13/89  
 Job Number of Trip Blank                    SJ79499

Contaminant in Trip Blank                    ACETONE  
 Concentration in Trip Blank (ug/l)        28.00

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ79475                    M23A	ACETONE	41.00
SJ79493                    L2	ACETONE	100.00
SJ79494                    L3	ACETONE	12.00
SJ79495                    L4	ACETONE	5.20
SJ79496                    L5	ACETONE	5.80

Sample Date of Trip Blank                    09/13/89  
 Job Number of Trip Blank                    SJ79498

Contaminant in Trip Blank                    CHLOROFORM  
 Concentration in Trip Blank (ug/l)        0.70

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ79497                    L6	CHLOROFORM	1.90

TABLE B.2.1-1  
Comparison of Trip Blank Detections  
to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
INVESTIGATION REPORT

Sample Date of Trip Blank 12/04/89  
Job Number of Trip Blank SJ83231  
Contaminant in Trip Blank CHLOROFORM  
Concentration in Trip Blank (ug/l) 0.70

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ83228 M24A	CHLOROFORM	1.00
SJ83229 M25A	CHLOROFORM	0.60
SJ83230 M49A	CHLOROFORM	0.60

Sample Date of Trip Blank 12/07/89  
Job Number of Trip Blank SJ83407  
Contaminant in Trip Blank CHLOROFORM  
Concentration in Trip Blank (ug/l) 1.50

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ83406 M44A	CHLOROFORM	3.00

TABLE B.2.1-1  
 Comparison of Trip Blank Detections  
 to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
 INVESTIGATION REPORT

Sample Date of Trip Blank 12/08/89  
 Job Number of Trip Blank SJ83460

Contaminant in Trip Blank CHLOROFORM  
 Concentration in Trip Blank (ug/l) 1.50

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ83458 M45A	CHLOROFORM	2.00
SJ83459 M46A	CHLOROFORM	2.70

Sample Date of Trip Blank 01/09/90  
 Job Number of Trip Blank SJ90271

Contaminant in Trip Blank ACETONE  
 Concentration in Trip Blank (ug/l) 190.00

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ90267 M05A	ACETONE	29.00
SJ90268 M05B	ACETONE	350.00

TABLE B.2.1-1  
 Comparison of Trip Blank Detections  
 to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
 INVESTIGATION REPORT

Sample Date of Trip Blank                    03/05/90  
 Job Number of Trip Blank                    SJ92367

Contaminant in Trip Blank                    ACETONE  
 Concentration in Trip Blank (ug/l)        11.00

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ92364                    M24A	ACETONE	36.00
SJ92365                    M25A	ACETONE	14.00
SJ92366                    M49A	ACETONE	10.00

Sample Date of Trip Blank                    04/03/90  
 Job Number of Trip Blank                    SJ93612

Contaminant in Trip Blank                    ACETONE  
 Concentration in Trip Blank (ug/l)        18.00

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ93608                    M03A	ACETONE	26.00
SJ93611                    M07B	ACETONE	34.00

TABLE B.2.1-1  
Comparison of Trip Blank Detections  
to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
INVESTIGATION REPORT

Sample Date of Trip Blank 08/22/90  
Job Number of Trip Blank SJ01122  
Contaminant in Trip Blank METHYLENE CHLORIDE  
Concentration in Trip Blank (ug/l) 0.90

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ01121 HCP	METHYLENE CHLORIDE	1.20

Sample Date of Trip Blank 09/17/90  
Job Number of Trip Blank SJ02396  
Contaminant in Trip Blank CHLOROFORM  
Concentration in Trip Blank (ug/l) 0.60

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ02393 M47B	CHLOROFORM	0.60
SJ02424 HCP	CHLOROFORM	1.20



TABLE B.2.1-1  
Comparison of Trip Blank Detections  
to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
INVESTIGATION REPORT

Sample Date of Trip Blank 09/17/90  
Job Number of Trip Blank SJ02396  
Contaminant in Trip Blank METHYLENE CHLORIDE  
Concentration in Trip Blank (ug/l) 0.70

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ02393 M47B	METHYLENE CHLORIDE	0.90
SJ02394 M48A	METHYLENE CHLORIDE	0.80
SJ02424 HCP	METHYLENE CHLORIDE	2.20

Sample Date of Trip Blank 10/03/90  
Job Number of Trip Blank SJ03410  
Contaminant in Trip Blank ACETONE  
Concentration in Trip Blank (ug/l) 36.00

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ03406 M05B	ACETONE	180.00

TABLE B.2.1-1  
Comparison of Trip Blank Detections  
to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
INVESTIGATION REPORT

Sample Date of Trip Blank 12/10/90  
Job Number of Trip Blank SJ06754

Contaminant in Trip Blank METHYLENE CHLORIDE  
Concentration in Trip Blank (ug/l) 6.50

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ06745 L2	METHYLENE CHLORIDE	52.00
SJ06749 L6	METHYLENE CHLORIDE	6.80
SJ06751 M41A	METHYLENE CHLORIDE	1.60

Sample Date of Trip Blank 12/17/90  
Job Number of Trip Blank SJ07114

Contaminant in Trip Blank TOLUENE  
Concentration in Trip Blank (ug/l) 0.60

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ07113 M39A	TOLUENE	4.30

TABLE B.2.1-1  
 Comparison of Trip Blank Detections  
 to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
 INVESTIGATION REPORT

Sample Date of Trip Blank                    01/09/91  
 Job Number of Trip Blank                    SJ10413  
  
 Contaminant in Trip Blank                    METHYLENE CHLORIDE  
 Concentration in Trip Blank (ug/l)                    1.00

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
<hr style="border-top: 1px dashed black;"/>		
SJ10414                    SS63	METHYLENE CHLORIDE	1.00

Sample Date of Trip Blank                    02/27/91  
 Job Number of Trip Blank                    SJ12702  
  
 Contaminant in Trip Blank                    BENZENE  
 Concentration in Trip Blank (ug/l)                    0.50

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
<hr style="border-top: 1px dashed black;"/>		
SJ12703                    SS6	BENZENE	0.90
SJ12704                    SS7	BENZENE	0.80
SJ12705                    SS8	BENZENE	0.90
SJ12706                    SS9	BENZENE	0.90
SJ12707                    SS10	BENZENE	1.00
SJ12708                    SS11	BENZENE	1.20
SJ12709                    SS16	BENZENE	1.20
SJ12710                    ----	BENZENE	1.40
SJ12711                    SS44	BENZENE	1.40
SJ12712                    SS64	BENZENE	1.60

TABLE B.2.1-1  
 Comparison of Trip Blank Detections  
 to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
 INVESTIGATION REPORT

Sample Date of Trip Blank                    03/13/92  
 Job Number of Trip Blank                    SJ33841

Contaminant in Trip Blank                    TOLUENE  
 Concentration in Trip Blank (ug/l)        0.60

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ33839                    M39A	TOLUENE	2.50

Sample Date of Trip Blank                    03/27/92  
 Job Number of Trip Blank                    SJ34660

Contaminant in Trip Blank                    TOLUENE  
 Concentration in Trip Blank (ug/l)        0.40

Detections in Samples Transported  
 with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ34651                    M25A	TOLUENE	0.40
SJ34653                    M47B	TOLUENE	0.40

TABLE B.2.1-1  
Comparison of Trip Blank Detections  
to Sample Detections

Blank Concentrations > Sample Concentrations/10

PALOS VERDES LANDFILL - DRAFT PRELIMINARY REMEDIAL  
INVESTIGATION REPORT

Sample Date of Trip Blank 03/31/92  
Job Number of Trip Blank SJ34781

Contaminant in Trip Blank TOLUENE  
Concentration in Trip Blank (ug/l) 0.40

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ34777 P4-6	TOLUENE	0.70

Sample Date of Trip Blank 05/14/92  
Job Number of Trip Blank SJ37263

Contaminant in Trip Blank ACETONE  
Concentration in Trip Blank (ug/l) 10.00

Detections in Samples Transported  
with Trip Blank

Job Number and Sublocation	Test	Concentration (ug/l)
SJ37258 L4	ACETONE	29.00

## PALOS VERDES LANDFILL DPRIR

## LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1988

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ51642	FIELD BLANK FOR #S 51641, 51643, 51645 & 51647 02/25/88	VOC'S ANALYZED MONTGOMERY LABS 3-12-88
SJ51666	TRIP BLANKS FOR #S 51662,3,4,5 02/26/88	VOC'S ANALYZED MONTGOMERY LABS 3-12-88
SJ52049	TRIP BLK FOR SJB52045-52048 03/07/88	VOC'S ANALYZED MONT.LABS 3-23-88:
SJ52136	TRIP BLANK FOR SJO 52132-52135 03/08/88	VOC'S ANALYZED MONTGOMERY LABS 3-23-88:
SJ52342	FIELD BLNK FOR SJ 52338 - 52341. 03/14/88	VOC'S ANALYZED MONTGOMERY LABS 3-28-88:
SJ52417	FIELD BLANK FOR SJ 52413 TO SJ 52416. 03/15/88	VOC'S ANALYZED BROWN-CALDWELL 3-29-88:
SJ52513	FIELD BLANK FOR SJ 52509 - 52512 03/16/88	VOC'S ANALYZED BROWN-CALDWELL 3-31-88:
SJ52575	FIELD BLANK FOR SJ 52572 - 52574. 03/17/88	VOC'S ANALYZED MONTGOMERY LABS 3-31-88:
SJ52649	FIELD BLANK FOR SJ 52645-52648. 03/18/88	VOC'S ANALYZED 4-1-88 MONTGOMERY LABS:
SJ52725	TRIP BLANK FOR SAMPLES B52723-B52724 03/22/88	VOC'S ANALYZED 4-4-88 MONTGOMERY LABS:
SJ52781	TRIP BLANK FOR SJO 52779 AND SJB 52780 03/23/88	VOC'S ANALYZED MONTGOMERY LABS 4-6-88:
SJ53144	FIELD BLANK FOR SJ 53139 - 53143. 03/31/88	4/6/88
SJ53595	TRIP BLANK FOR SJ 53592 - 53594. 04/11/88	VOC'S ANALYZED MONTGOMERY LABS 4-19-88:
SJ53630	TRIP BLANK FOR SJ 53626-53629. 04/12/88	VOC'S ANALYZED MONTGOMERY LABS 4-19-88:
SJ53686	TRIP BLANK FOR SJ 53681-53685. 04/13/88	VOC'S ANALYZED MONTGOMERY LABS 4-25-88:
SJ53820	TRIP BLANK FOR SJO# 53818-53819 04/14/88	VOC'S ANALYZED 4-25-88 MONTGOMERY LABS;
SJ54291	FIELD BLANK FOR SJ 54287-54290. 04/28/88	4/29/88

## PALOS VERDES LANDFILL DPRIR

## LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1988

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ54346	FIELD BLANK FOR SJ 54342-54345. 04/29/88	5/3/88 LOT 042788
SJ54423	FIELD BLANK FOR SJ 54420-54422. 05/03/88	5/5/88 LOT 042788
SJ55772	FIELD BLANK FOR SJ 55768-55772. 06/10/88	VOC'S ANALYZED 6-24-88 MONTGOMERY LABS:
SJ56164	FEILD BLANK FOR SJ56160 - 63 06/20/88	VOC'S 6/23/88 LOT 060988
SJ56285	FIELD BLANK FOR SJ 56283-56284. 06/22/88	VOC'S 6/28/88 LOT 061588
SJ56340	FIELD BLANK FOR SJ056336-56339 06/23/88	VOC'S 6/29/88 LOT 060988
SJ56391	FIELD BLANK FOR SJ 56387 - 56390. 06/24/88	VOC'S 7/1/88 LOT 061588
SJ56438	FIELD BLANK FOR SJ 56425-56428. 06/27/88	VOC'S 7/8/88
SJ56474	FIELD BLANK FOR SJ 56470-56473. 06/28/88	VOC'S 7/8/88
SJ56519	FIELD BLANK FOR SJ 56515-56518. 06/29/88	VOC'S 7/13/88
SJ57136	FIELD BLANK FOR SJB 57132-57135 07/18/88	VOC'S 7/25/88 LOT 071388
SJ57223	FIELD TRIP BLANK FOR SJ57219-57222. 07/19/88	VOC'S 7/28/88 LOT 071388
SJ57250	FIELD BLANK FOR SJB 57246-57249 07/20/88	VOC'S 7/29/88 LOT 071988
SJ57314	FIELD BLANK FOR SJB 57312-57313 07/21/88	VOC ANALYZED 7-28-88 MONTGOMERY LABS
SJ58230	FIELD BLANK FOR SJ-58227-58229. 08/15/88	VOC ANALYZED 8-25-88 MONTGOMERY LABS
SJ58335	FIELD BLANK FOR SJ 58330-58334. 08/16/88	VOC'S 8/22/88 LOT 081088
SJ58409	FIELD BLANK FOR SJ 58407-58408. 08/17/88	VOC'S 8/22/88 LOT 080288

## PALOS VERDES LANDFILL DPRIR

## LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1988

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ59212	FIELD BLANK FOR SJ 59205, 59206, 59207, AND 59208 09/06/88	VOC'S 9/9/88 LOT 082588
SJ59226	FIELD BLANK FOR SJ 59224-59225 09/07/88	VOC'S 9/13/88 LOT 090288
SJ59323	FIELD BLANK FOR SJB 59319-59322 09/08/88	VOC'S 9/13/88 LOT 090688
SJ59409	FIELD BLNK FOR SJB 59403-59408 09/09/88	VOC'S 9/19/88 LOT 090688
SJ59465	FIELD BLANK FOR SJE 59461-59464 09/12/88	VOC'S 9/19/88 LOT 090988
SJ59585	FIELD BALANK FOR SJ 59581-59584. 09/14/88	VOC'S 9/20/88 LOT 090588
SJ59631	FIELD BLANK FOR SJ 59627- 59630. 09/15/88	VOC'S 9/21/88 LOT 091388
SJ59689	FIELD BLANK FOR SJB-59687-59689 09/16/88	VOC ANALYZED 9-28-88 MONTGOMERY LABS
SJ59740	FIELD BLANK FOR SJB 59739 09/19/88	VOC'S 9/21/88 LOT 091688
SJ60260	PALOS VERDES L.F. FEILD BLANK FOR SJ#60259 10/04/88	VOC'S 10/7/88 LOT 093088
SJ60459	PALOS VERDES LF BLANK FOR SJ 60460-61 10/11/88	VOC ANALYZED 10-17-88 MONTGOMERY LAB
SJ60559	FIELD BLANK FOR SJB 60555-60558 10/12/88	VOC'S 10/17/88 LOT 100888
SJ60623	TRIP BLANK FOR 60617-60620 10/13/88	VOC'S 10/19/88 LOT 100888
SJ60658	FIELD BLANK FOR SJB60656-60657 10/14/88	VOC'S 10/21/88 LOT 100888
SJ61911	PVLF TRIP BLANK FOR SJ 61908-10 11/17/88	VOC'S 11/28/88 LOT 110988
SJ61954	TRIP BLANK FOR PVLF SAMPLES 61948-61953 11/18/88	VOC'S 11/29/88 LOT 111688
SJ62306	TRIP BLANK FOR PVLF SAMPLES 62301-62305 12/05/88	VOC'S 12/12/88 LOT 120188



## PALOS VERDES LANDFILL DPRIR

## LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1988

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ62343	TRIP BLANK FOR PVLF SAMPLES 62334-62342 12/06/88	VOC'S 12-15-88 MONT. LAB
SJ62594	TRIP BLANK FOR PVLF SAMPLES 62591-62593 12/13/88	VOC'S 12-20-88 MONT. LAB
SJ62624	FIELD BLANK FOR SJ 62620-62623. 12/14/88	VOC'S 12-20-88 MONT. LAB
SJ62666	TRIP BLANK FOR PVLF SAMPLES 62662-62665 12/15/88	VOC'S 12-23-88 MONT. LAB
SJ62711	FIELD BLANK FOR SJ 62708-62710. 12/15/88	VOC'S 12-27-88 MONT. LAB
SJ62746	PALOS VERDES LF BLANK FOR 62743-45 12/19/88	VOC'S 12/20/88 LOT 121488
SJ62802	FIELD BLANK FOR SJ 62798-62801. 12/20/88	VOC'S 12-27-88 MONT. LAB

## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	
		SJ51642	SJ51666	SJ52049	SJ52136	SJ52342	SJ52417	SJ52513	SJ52575	SJ52649	SJ52725
		02/25/88	02/26/88	03/07/88	03/08/88	03/14/88	03/15/88	03/16/88	03/17/88	03/18/88	03/22/88
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 1.08	< 1.08	< 1.25	< 1.25	< 1.25	< 1	< 1	< 6.25	< 6.25	< 5.0
CHLOROFORM	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
1,1,1-TRICHLOROETHANE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
CARBON TETRACHLORIDE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
1,1-DICHLOROETHENE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
TRICHLOROETHYLENE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
TETRACHLOROETHYLENE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
BROMODICHLOROMETHANE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
DIBROMOCHLOROMETHANE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
BROMOFORM	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
CHLOROBENZENE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
VINYL CHLORIDE	UG/L	< 1.08	< 1.08	< 1.25	< 1.25	< 1.25	< 1	< 1	< 1.25	< 1.25	< 1.0
O-DICHLOROBENZENE	UG/L	< 0.54	< 0.54	<0.625	<0.625	<0.625	< 1	< 1	<0.625	<0.625	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.54	< 0.54	<0.625	<0.625	<0.625	< 1	< 1	<0.625	<0.625	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.54	< 0.54	<0.625	<0.625	<0.625	< 1	< 1	<0.625	<0.625	< 0.5
1,1-DICHLOROETHANE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
1,1,2-TRICHLOROETHANE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
1,2-DICHLOROETHANE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
BENZENE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
TOLUENE	UG/L	< 0.54	< 0.54	<0.625	<0.625	<0.625	< 1	< 1	<0.625	<0.625	< 0.5
ETHYL BENZENE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
TRANS-1,2-DICHLOROETHYLENE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
BROMOMETHANE	UG/L	< 1.08	< 1.08	< 1.25	< 1.25	< 1.25	< 1	< 1	< 1.25	< 1.25	< 1.0
CHLOROETHANE	UG/L	< 1.08	< 1.08	< 1.25	< 1.25	< 1.25	< 1	< 1	< 1.25	< 1.25	< 1.0
2-CHLOROETHYLVINYLETHER	UG/L	< 1.08	< 1.08	< 1.25	< 1.25	< 1.25	< 1	< 1	< 1.25	< 1.25	< 1.0
CHLOROMETHANE	UG/L	< 1.08	< 1.08	< 1.25	< 1.25	< 1.25	< 1	< 1	< 1.25	< 1.25	< 1.0
1,2-DICHLOROPROPANE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
CIS-1,3-DICHLOROPROPENE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
TRANS-1,3-DICHLOROPROPENE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
1,1,2,2-TETRACHLOROETHANE	UG/L	<0.108	<0.108	<0.125	<0.125	<0.125	< 1	< 1	<0.125	<0.125	< 0.1
ACETONE	UG/L						< 10		< 12.5	< 12.5	< 10
CIS-1,2-DICHLOROETHYLENE	UG/L							A	<0.125	<0.125	< 0.1
2-BUTANONE	UG/L						< 10		< 1.25	< 1.25	< 1.0

FOOTNOTES : A-ND = NONE DETECTED

## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP
		SJ52781	SJ53144	SJ53595	SJ53630	SJ53686	SJ53820	SJ54291	SJ54346	SJ54423	SJ55772
		03/23/88	03/31/88	04/11/88	04/12/88	04/13/88	04/14/88	04/28/88	04/29/88	05/03/88	06/10/88
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 6.25	1.0	< 1.25	< 1.25	< 1.25	< 6.25	7.5	3.4	< 0.5	< 1.0
CHLOROFORM	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	0.7	< 0.5	< 0.5	< 0.1
1,1,1-TRICHLOROETHANE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
CARBON TETRACHLORIDE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
1,1-DICHLOROETHENE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
TRICHLOROETHYLENE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
TETRACHLOROETHYLENE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
BROMODICHLOROMETHANE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
DIBROMOCHLOROMETHANE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
BROMOFORM	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
CHLOROBENZENE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
VINYL CHLORIDE	UG/L	< 1.25	< 0.5	< 1.25	< 1.25	< 1.25	< 1.25	< 0.5	< 0.5	< 0.5	< 1.0
O-DICHLOROBENZENE	UG/L	< 0.625	< 0.5	< 0.625	< 0.625	< 0.625	< 0.625	< 0.5	< 0.5	< 0.5	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.625	< 0.5	< 0.625	< 0.625	< 0.625	< 0.625	< 0.5	< 0.5	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.625	< 0.5	< 0.625	< 0.625	< 0.625	< 0.625	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
1,1,1-TRICHLOROETHANE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
1,2-DICHLOROETHANE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
BENZENE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
TOLUENE	UG/L	< 0.625	< 0.5	< 0.625	< 0.625	< 0.625	< 0.625	< 0.5	< 0.5	< 0.5	< 0.5
ETHYL BENZENE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
BROMOMETHANE	UG/L	< 1.25	< 2.5	< 1.25	< 1.25	< 1.25	< 1.25	< 2.5	< 2.5	< 2.5	< 1.0
CHLOROETHANE	UG/L	< 1.25	< 1.0	< 1.25	< 1.25	< 1.25	< 1.25	< 1.0	< 1.0	< 1.0	< 1.0
2-CHLOROETHYL VINYL ETHER	UG/L	< 1.25	< 1.0	< 1.25	< 1.25	< 1.25	< 1.25	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 1.25	< 1.0	< 1.25	< 1.25	< 1.25	< 1.25	< 1.0	< 1.0	< 1.0	< 1.0
1,2-DICHLOROPROPANE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.125	< 0.5	< 0.225	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
ACETONE	UG/L	< 12.5	< 10	< 1.25	< 1.25	< 1.25	16	< 10	< 10	< 10	< 1.0
CIS-1,2-DICHLOROETHYLENE	UG/L	< 0.125	< 0.5	< 0.125	< 0.125	< 0.125	< 0.125	< 0.5	< 0.5	< 0.5	< 0.1
2-BUTANONE	UG/L	< 1.25	< 10	< 1.25	< 1.25	< 1.25	< 1.25	< 10	< 10	< 10	< 1.0

FOOTNOTES : A-ND = NONE DETECTED

COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

WATER QUALITY MONITORING DATA

PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP
		SJ56164	SJ56247	SJ56285	SJ56340	SJ56391	SJ56438	SJ56474	SJ56519	SJ57136	SJ57223
		06/20/88	06/21/88	06/22/88	06/23/88	06/24/88	06/27/88	06/28/88	06/29/88	07/18/88	07/19/88
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	0.7	< 1.0	< 2.0	< 1.0	2.1	< 0.5	< 0.5	1.4	0.6	0.7
CHLOROFORM	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHYLENE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHYLENE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLORO BENZENE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-DICHLORO BENZENE	UG/L	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
M-DICHLORO BENZENE	UG/L	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-DICHLORO BENZENE	UG/L	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BENZENE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TOLUENE	UG/L	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYL BENZENE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHYLEN	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	UG/L	< 2.5	< 1.0	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
CHLOROETHANE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
2-CHLOROETHYL VINYLETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ACETONE	UG/L	180	< 1.0	15	< 10	14	34	27	30	10	12
CIS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
2-BUTANONE	UG/L	< 10	< 1.0	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10

FOOTNOTES : A-ND = NONE DETECTED

COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

WATER QUALITY MONITORING DATA

PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	
		SJ57250	SJ57314	SJ58230	SJ58335	SJ58409	SJ59212	SJ59226	SJ59323	SJ59409	SJ59465
		07/20/88	07/21/88	08/15/88	08/16/88	08/17/88	09/06/88	09/07/88	09/08/88	09/09/88	09/12/88
<b>VOLATILE ORGANIC COMPOUND</b>											
METHYLENE CHLORIDE	UG/L	< 0.5	< 1.0	< 1.25	< 0.5	< 1.0	< 1.0	< 0.5	< 0.5	< 1.0	< 1.0
CHLOROFORM	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHYLENE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHYLENE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 1.0	< 1.25	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.50	< 0.625	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.50	< 0.625	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.50	< 0.625	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BENZENE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TOLUENE	UG/L	< 0.5	< 0.50	< 0.625	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYL BENZENE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHYLEN	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	UG/L	< 2.5	< 1.0	< 1.25	< 2.5	< 5.0	< 5.0	< 5.0	< 2.5	< 5.0	< 5.0
CHLOROETHANE	UG/L	< 1.0	< 1.0	< 1.25	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
2-CHLOROETHYLVINYLETHER	UG/L	< 1.0	< 1.0	< 1.25	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 1.0	< 1.0	< 1.25	< 1.0	< 5.0	< 5.0	< 5.0	< 1.0	< 5.0	< 5.0
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.10	< 0.125	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ACETONE	UG/L	10	< 1.0	< 1.25			63	30		< 10	< 10
CIS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.10	< 0.125			< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
2-BUTANONE	UG/L	< 10	< 1.0	< 1.25			< 10	< 10	< 10	< 10	< 10

FOOTNOTES : A-ND = NONE DETECTED

## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP
		SJ59585	SJ59631	SJ59689	SJ59740	SJ60260	SJ60459	SJ60559	SJ60623	SJ60658	SJ61911
		09/14/88	09/15/88	09/16/88	09/19/88	10/04/88	10/11/88	10/12/88	10/13/88	10/14/88	11/17/88
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.3	< 0.5	2.1	< 1.0
CHLOROFORM	UG/L	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	UG/L	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5
CHLORO BENZENE	UG/L	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5
BENZENE	UG/L	< 0.5	< 0.5		< 0.5	< 0.5	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5
TOLUENE	UG/L	< 0.5	< 0.5		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYL BENZENE	UG/L	< 0.5	< 0.5		< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHYLEN	UG/L	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	UG/L	< 5.0	< 5.0	< 1.0	< 5.0	< 2.5	< 1.0	< 2.5	< 2.5	< 2.5	< 2.5
CHLOROETHANE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
2-CHLOROETHYLVINYLETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 5.0	< 5.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.5	< 0.1	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.1	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.1	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.1	< 0.5	< 0.5	< 0.10	< 0.5	< 0.5	< 0.5	< 0.5
ACETONE	UG/L	< 10	< 10	3.2	< 10	11		< 10	22	< 15	
CIS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.1	< 0.5	< 0.5		< 0.5	< 0.5	< 0.5	
2-BUTANONE	UG/L	< 10	< 10	< 1.0	< 10	< 10		< 10	< 10	< 10	

FOOTNOTES : A-ND = NONE DETECTED

## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP
		SJ61954	SJ62306	SJ62343	SJ62594	SJ62624	SJ62666	SJ62711	SJ62746	SJ62802
		11/18/88	12/05/88	12/06/88	12/13/88	12/14/88	12/15/88	12/15/88	12/19/88	12/20/88
VOLATILE ORGANIC COMPOUND										
METHYLENE CHLORIDE	UG/L	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROFORM	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.1	< 0.5	< 0.10
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.1	< 0.5	< 0.1
CARBON TETRACHLORIDE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.1	< 0.5	< 0.10
1,1-DICHLOROETHENE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.1	< 0.5	< 0.10
TRICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
TETRACHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
CHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.5	< 1.0
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50
1,1-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
1,1,2-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
1,2-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
BENZENE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
TOLUENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50
ETHYL BENZENE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
BROMOMETHANE	UG/L	< 2.5	< 2.5	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.5	< 1.0
CHLOROETHANE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
2-CHLOROETHYL VINYLETHYL ETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.10
ACETONE	UG/L	22	12	< 1.0		< 1.0		< 1.0	< 10	< 1.0
CIS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.1		< 0.10		< 0.10	< 0.5	< 0.10
2-BUTANONE	UG/L	< 10	< 10	< 1.0		< 1.0		< 1.0	< 10	< 1.0

FOOTNOTES : A-ND = NONE DETECTED

## PALOS VERDES LANDFILL DPRIR

## LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1989

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ70138	FIELD BLANK FOR SJ 70135-70137 01/06/89	VOC'S 1-11-89 MONT. LAB
SJ70405	TRIP BLANK FOR PVLF SAMPLES 70401-70405 01/13/89	VOC'S MONT.LAB 1-23-89:
SJ70504	TRIP BLANK FOR SJ#70498 - 70503 01/17/89	VOC'S MONT.LABS 1-27-89:
SJ70655	TRIP BLANK FOR PVLF SAMPLES#70651-70654 01/19/89	VOC'S MONT.LABS 1-27-89:
SJ71110	FIELD BLANK FOR SJ 71105-71109. 02/01/89	VOC'S 2/3/89 LOT 013089
SJ71759	TRIP BLANK FOR PVLF SAMPLE #71758 02/21/89	VOC'S 3/15/89 LOT 021789
SJ71851	TRIP BLANK FOR PVLF SAMPLES 71847-71850 02/22/89	VOC'S MONT.LAB 3-1-89:
SJ71915	FIELD BLANK FOR SJ 71911-71915. 02/23/89	VOC'S 3/1/89 LOT 021789
SJ72250	TRIP BLANK FOR PVLF SAMPLES #72246-72249 03/06/89	VOC'S ANAL.3-15-89,MONT.LAB.;
SJ72300	FIELD BLANK FOR SJ72296-89 03/07/89	VOC'S ANAL.3-16-89,MONT.LAB.;
SJ72514	TRIP BLANK FOR PVLF SAMPLES #72508-72513 03/13/89	VOC'S 3/24/89 LOT 030789
SJ72891	TRIP BLANK FOR PVLF SAMPLES #72888-72890 03/22/89	VOC'S 3/25/89 LOT 032189
SJ73088	FIELD BLANK FOR PVLF, SJ# 73085 - 73087 03/28/89	VOC'S 3/30/89 LOT 032189
SJ73124	PALOS VERDES LF BLANK FOR SJ 73120-23 03/29/89	VOC'S 3/31/89 LOT 032889
SJ73192	FIELD BLANK FOR SJB 73188-73191 03/30/89	VOC'S 4/11/89 LOT 032189
SJ73288	TRIP BLANK FOR PVLF SAMPLES #73284-73287 04/03/89	VOC'S 4/6/89 LOT 040189
SJ73341	FIELD BLANK FOR SJB 73338-73340 04/04/89	VOC'S 04/10/89;



PALOS VERDES LANDFILL DPRIR  
LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1989

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ74110	TRIP BLANK FOR PVLF SAMPLES#74106-74109 04/24/89	ANALYZED 4/27/89
SJ74161	FIELD BLANK FOR SJ 74157-74160. 04/25/89	VOC'S 4/28/89
SJ74196	TRIP BLANK FOR PVLF SAMPLES #74193-74195 04/26/89	VOC'S 4/28/89 LOT 042589
SJ74231	PALOS VERDES LF TRIP BLANK FOR SJ 74229 04/27/89	VOC'S 4/28/89 LOT 042689
SJ75596	PALOS VERDES LF TRIP BLANK FOR SJ 75593-95 06/05/89	VOC'S 6/9/89
SJ75658	TRIP BLANK FOR PVLF SAMPLES 75653-75657 06/06/89	VOC'S 6/9/89
SJ75701	TRIP BLANK FOR PVLF SAMPLES 75697-75700 06/07/89	VOC'S 6/12/89
SJ75745	FIELD BLANK FOR SJB 75741-75744 06/08/89	VOC'S 6/12/89
SJ75820	FIELD BLANK FOR SJB 75816-75819 06/09/89	VOC'S 6/12/89
SJ75888	FIELD BLANK FOR SJO# 75883 - 75887 06/12/89	VOC'S 6/13/89
SJ75990	FIELD BLANK FOR SJ# 75886 -75989 06/14/89	VOC'S 6/27/89
SJ76023	FIELD BLANK FOR SJ # 76020 - 76022 06/15/89	VOC'S 6/26/89 LOT 061589
SJ76814	FIELD BLANK OF SJB 76809-76812 07/05/89	VOC'S 7/13/89 LOT 070389
SJ76862	PALOS VERDES LF TRIP BLANK FOR SJ 76858-61 07/06/89	VOC'S 7/14/89
SJ76918	PVLF FIELD BLANK FOR SJB 76913-76917 07/07/89	VOC'S 7/17/89
SJ76989	FIELD BLANK FOR SJB 76985,86 AND SJO 76987-88 07/10/89	VOC'S 7/17/89
SJ77933	FIELD TRIP BLANK FOR SJ#77929 - 77932 08/02/89	VOC'S 8/3/89

## PALOS VERDES LANDFILL DPRIR

## LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1989

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ78066	PALOS VERDES LF TRIP BLANK FOR 78062-65 08/07/89	VOC'S 8/8/89 LOT 080489
SJ79164	TRIP BLANK FOR PVLF SAMPLES 79161-79163 09/05/89	VOC'S ANALYZED 11SEPT89
SJ79214	FIELD BLANK FOR SJ# 79210 - 79213 09/06/89	VOC'S ANALYZED 11SEPT89
SJ79260	TRIP BLANK FOR PVLF SAMPLES 79256-79259 09/07/89	VOC'S ANALYZED 12SEPT89.
SJ79317	FIELD BLANK FOR SJ 79313-79316. 09/08/89.	VOC'S 9/12/89
SJ79365	TRIP BLANK FOR PVLF SAMPLES 79361-79364 09/11/89	VOC'S 9/14/89
SJ79444	FIELD BLANK FOR 79441-74443 09/12/89	VOC'S 9/14/89
SJ79498	FIELD BLANK FOR SJ# 79475 - 79478 09/13/89	VOC'S 9/19/89
SJ79499	FIELD BLANK FOR SJ#79493 - 79497 09/13/89	VOC'S 9/15/89 LOT 092189
SJ80363	FIELD BLANK FOR SJ 80358-80362. 10/04/89	VOC'S 10/16/89
SJ80554	FIELD BLANK FOR SJ 80549-80553 10/05/89	VOC'S 10/19/89
SJ81975	FIELD BLANK FOR SJ 81971-81974. 11/01/89	VOC'S 11/7/89
SJ82028	TRIP BLOANK FOR PVLF SAMPLES 82023-82027 11/02/89	VOC'S 11/7/89
SJ83172	TRIP BLANK FOR PVLF SAMPLES 83169-83171 12/01/89	VOC'S 12/5/89; THF = 140UG/L
SJ83231	FIELD BLANK FOR SJB 83227-83230 12/04/89	VOC'S 12/4/89
SJ83296	FIELD BLANK FOR PVLF SJB 83292-83295 12/05/89	VOC'S 12/6/89; THF = 95UG/L
SJ83330	FIELD BLANK FOR SJ 83326-83229. 12/06/89	VOC'S 12/8/89

PALOS VERDES LANDFILL DPRIR

LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1989

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ83407	TRIP BLANK FOR PVLF SAMPLES 83403-83406 12/07/89	VOC'S 12/8/89
SJ83460	TRIP BLANK FOR PVLF SAMPLES 83456-83459 12/08/89	VOC'S 12/12/89 LOT 120789 THF:43UG/L
SJ83509	TRIP BLANK FOR PVLF SAMPLES 83504-83508 12/11/89	VOC'S 12/13/89 LOT 120889 THF:45UG/L
SJ83595	TRIP BLANK FOR PVLF SAMPLES 83588-83594 12/12/89	VOC'S 12/13/89 LOT 121189

## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP
		SJ70138	SJ70405	SJ70504	SJ70655	SJ71110	SJ71759	SJ71851	SJ71915	SJ72250	SJ72300
		01/06/89	01/13/89	01/17/89	01/19/89	02/01/89	02/21/89	02/22/89	02/23/89	03/06/89	03/07/89
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 0.5	< 0.5	< 1.0	< 0.5	< 1.0	< 1.0
CHLOROFORM	UG/L	< 0.10	< 0.10	< 0.1	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.10
1,1,1-TRICHLOROETHANE	UG/L	< 0.10	< 0.10	< 0.1	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.10
CARBON TETRACHLORIDE	UG/L	< 0.10	< 0.10	< 0.1	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.10
1,1-DICHLOROETHENE	UG/L	< 0.10	< 0.10	< 0.1	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.10
TRICHLOROETHYLENE	UG/L	< 0.10	< 0.10	< 0.1	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.1
TETRACHLOROETHYLENE	UG/L	< 0.10	< 0.10	< 0.1	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.1
BROMODICHLOROMETHANE	UG/L	< 0.10	< 0.10	< 0.1	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.1
DIBROMOCHLOROMETHANE	UG/L	< 0.10	< 0.10	< 0.1	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.1
BROMOFORM	UG/L	< 0.10	< 0.10	< 0.1	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.1
CHLOROBENZENE	UG/L	< 0.10	< 0.10	< 0.1	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.1
VINYL CHLORIDE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 0.5	< 0.5	< 1.0	< 0.5	< 1.0	< 1.0
O-DICHLOROBENZENE	UG/L	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.10	< 0.10	< 0.1	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.1
1,1,2-TRICHLOROETHANE	UG/L	< 0.10	< 0.10	< 0.1	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.1
1,2-DICHLOROETHANE	UG/L	< 0.10	< 0.10	< 0.1	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.1
BENZENE	UG/L	< 0.10	< 0.10	< 0.1	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.1
TOLUENE	UG/L	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYL BENZENE	UG/L	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.10
TRANS-1,2-DICHLOROETHYLEN	UG/L	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.10
BROMOMETHANE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 5.0	< 1.0	< 5.0	< 1.0	< 1.0
CHLOROETHANE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
2-CHLOROETHYLVINYLETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 5.0	< 1.0	< 5.0	< 1.0	< 1.0
1,2-DICHLOROPROPANE	UG/L	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.10
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.10
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.10
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.10	< 0.10	< 0.10	< 0.10	< 0.5	< 0.5	< 0.1	< 0.5	< 0.1	< 0.10
ACETONE	UG/L	4.4		< 1.0	< 1.0				< 10	< 1.0	17
CIS-1,2-DICHLOROETHYLENE	UG/L	< 0.10		< 0.10	< 0.10				< 0.5	< 0.1	< 0.10
2-BUTANONE	UG/L	< 1.0		< 1.0	< 1.0				< 10	< 1.0	< 1.0

COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

WATER QUALITY MONITORING DATA

PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP
		SJ72514	SJ72891	SJ73088	SJ73124	SJ73192	SJ73288	SJ73341	SJ74110	SJ74161	SJ74196
		03/13/89	03/22/89	03/28/89	03/29/89	03/30/89	04/03/89	04/04/89	04/24/89	04/25/89	04/26/89
<b>VOLATILE ORGANIC COMPOUND</b>											
METHYLENE CHLORIDE	UG/L	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 1.0	1.7	< 0.5
CHLOROFORM	UG/L	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 1.0	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
1,1-DICHLOROETHENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
TRICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
TETRACHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
CHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
1,2-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
TOLUENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
ETHYL BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
BROMOMETHANE	UG/L	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.5	< 5.0	< 2.5	< 2.5
CHLOROETHANE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0
2-CHLOROETHYL VINYLETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 1.0	< 2.0	< 1.0	< 5.0
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5
ACETONE	UG/L	13	< 10	< 10	< 10	< 10	< 10	< 10	< 20	< 10	< 10
CIS-1,2-DICHLOROETHYLENE	UG/L									< 0.5	
2-BUTANONE	UG/L	< 10		< 10	< 10	< 10	< 10	< 10	< 20	< 10	< 10



## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP SJ76862 07/06/89	TRIP SJ76918 07/07/89	TRIP SJ76989 07/10/89	TRIP SJ77933 08/02/89	TRIP SJ78066 08/07/89	TRIP SJ79122 09/01/89	TRIP SJ79164 09/05/89	TRIP SJ79214 09/06/89	TRIP SJ79260 09/07/89	TRIP SJ79317 09/08/89
<b>VOLATILE ORGANIC COMPOUND</b>											
METHYLENE CHLORIDE	UG/L	< 1.0	< 0.5	< 0.5	< 0.5	< 1.0	0.7	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TOLUENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYL BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
CHLOROETHANE	UG/L	< 2.5	< 1.0	< 1.0	< 1.0	< 2.5	< 2.5	< 1.0	< 1.0	< 1.0	< 1.0
2-CHLOROETHYLVINYLETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 2.5	< 5.0	< 5.0	< 5.0	< 2.5	< 2.5	< 5.0	< 5.0	< 5.0	< 5.0
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ACETONE	UG/L	< 20	45	29	< 10		16	< 5.0	23	< 5.0	< 5.0
CIS-1,2-DICHLOROETHYLENE	UG/L				< 0.5						
2-BUTANONE	UG/L	< 20	< 10	< 10	< 10		< 5.0	< 5.0	< 5.0	< 5.0	< 5.0

COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

WATER QUALITY MONITORING DATA

PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP
		SJ79365	SJ79444	SJ79498	SJ79499	SJ80363	SJ80554	SJ81975	SJ82028	SJ83172	SJ83231
		09/11/89	09/12/89	09/13/89	09/13/89	10/04/89	10/05/89	11/01/89	11/02/89	12/01/89	12/04/89
<b>VOLATILE ORGANIC COMPOUND</b>											
METHYLENE CHLORIDE	UG/L	< 1.0	< 0.5	< 1.0	< 0.5	< 2	< 2.6	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROFORM	UG/L	< 0.5	< 0.5	< 0.7	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.7
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	1.6
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TOLUENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYL BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHYLEN	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 5.0	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
CHLOROETHANE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 0.25	< 2.5	< 2.5	< 2.5	< 2.5
2-CHLOROETHYLVINYLETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 5.0	< 5.0	< 2.5	< 5.0	< 5.0	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ACETONE	UG/L	7.3	< 10	< 5.0	28	3.4	< 10	< 0.5	< 0.5	< 10	< 10
2-BUTANONE	UG/L		< 10	< 5.0	< 5.0	< 2.5	< 10			< 10	< 10





## PALOS VERDES LANDFILL DPRIR

## LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1990

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ00065	TRIP BLANK, F.I. T-030 08/02/90	VOC'S 8/6/90
SJ00124	TRIP BLANK, F.I. T-031 08/03/90	VOC'S 8/8/90
SJ00137	TRIP BLANK FOR 00134-00136 08/06/90	VOC'S 8/8/90
SJ00187	TRIP BLANK, F.I. T-032 08/06/90	VOC'S 8/8/90
SJ00197	TRIP BLANK FOR SJB00198-00203 08/07/90	VOC'S 8/8/90
SJ00279	TRIP BLANK, F.I. T-033 08/07/90	VOC'S 8/9/90
SJ00351	TRIP BLANK, F.I. T-034 08/08/90	VOC'S 8/13/90
SJ00406	TRIP BLANK, F.I. T-034 08/09/90	VOC'S 8/13/90
SJ00463	TRIP BLANK, F.I. T-035 08/10/90	VOC'S 08/14/90
SJ00636	TRIP BLANK, F.I. T-037 08/14/90	VOC'S 8/16/90
SJ00691	TRIP BLANK, F.I. T-038 08/15/90	VOC'S 8/17/90
SJ00762	TRIP BLANK, F.I. T-039 08/16/90	VOC'S 08/20/90
SJ00860	TRIP BLANK, F.I. T-040 08/17/90	VOC'S 8/21/90
SJ00904	TRIP BLANK 08/20/90	VOC'S 08/23/90
SJ01047	TRIP BLANK, F.I. T-042 08/21/90	VOC'S 8/23/90
SJ01122	TRIP BLANK, F.I. T-043 08/22/90	VOC'S 8/24/90
SJ01201	TRIP BLANK, F.I. T-044 08/23/90	VOC'S 8/29/90

## PALOS VERDES LANDFILL DPRIR

## LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1990

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ01332	TRIP BLANK, F.I. T-045 08/27/90	VOC's 8/29/90
SJ01460	TRIP BLANK, F.I. T-046 08/28/90	VOC's 8/30/90
SJ01516	TRIP BLANK, F.I. T-047 08/29/90	VOC's 8/31/90
SJ01630	TRIP BLANK, F.I. T-048 08/31/90	VOC's 9/5/90
SJ01693	TRIP BLANK 01689-01692 09/05/90	VOC's 09/06/90
SJ01741	TRIP BLANK, F.I. T-049 09/04/90	VOC's 9/7/90
SJ01857	TRIP BLANK, F.I. T-050 09/06/90	VOC'S:9/11/90 ; ACETONE:5.9UG/L
SJ02000	TRIP BLANK 01996-01999 09/10/90	VOC'S: 9/12/90
SJ02040	TRIP BLANK, F.I. T-051 09/10/90	VOC'S: 9/12/90
SJ02084	TRIP BLANK 02075-02083 09/11/90	VOC's 9/17/90
SJ02149	TRIP BLANK, F.I. T-052 09/11/90	VOC's 9/18/90
SJ02163	TRIP BLANK 02159-02162 09/12/90	VOC's 9/17/90
SJ02211	TRIP BLANK, F.I. T-053 09/12/90	VOC's 9/17/90
SJ02237	TRIP BLANK 02230-02236 09/13/90	VOC's 9/18/90
SJ02270	TRIP BLANK, F.I. T-054 09/13/90	VOC's 9/27/90
SJ02396	TRIP BLANK 02380-02384, 02392-02395 09/17/90	VOC's 9/21/90
SJ02580	TRIP BLANK, F.I. T-056 09/19/90	VOC's 9/28/90

## PALOS VERDES LANDFILL DPRIR

## LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1990

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ02668	TRIP BLANK, T-057 09/20/90	VOC's 10/1/90
SJ02741	TRIP BLANK, F.I. T-058 09/21/90	ACETONE:16UG/L ; VOC'S:9/25/90
SJ02814	TRIP BLANK, F.I. T-059 09/24/90	VOC's 10/01/90 THF: 120 UG/L.
SJ02927	TRIP BLANK, F.I. T-060 09/25/90	VOC'S 10/2/90 THF:APPROX. 90UG/L
SJ02984	TRIP BLANK, F.I. T-061 09/26/90	VOC's 10/02/90
SJ03151	TRIP BLANK FIT-062 09/28/90	VOC's 10/3/90
SJ03177	TRIP BLANK FOR 03171-03177 10/01/90	VOC's 10/3/90
SJ03298	TRIP BLANK 10/02/90	VOC's 10/3/90
SJ03410	TRIP BLANK 03405-03409 10/03/90	VOC's 10/5/90
SJ03532	TRIP BLANK, F.I. T-063 10/05/90	VOC's 10/10/90
SJ03656	TRIP BLANK 10/09/90	VOC's 10/11/90 SJB 03657-58
SJ03685	TRIP BLANK, F.I. T-064 10/09/90	VOC's 10/12/90
SJ03837	TRIP BLANK, F.I. T-065 10/11/90	VOC's 10/16/90
SJ05320	TRIP BLANK 11/05/90	VOC's 11/7/90
SJ05378	TRIP BLANK 11/06/90	VOC's 11/8/90
SJ06441	TRIP BLANK FOR SJB 06438-06440 12/03/90	VOC's 12/4/90
SJ06509	TRIP BLANK 12/04/90	NON-601/602 PEAK DETECTED

## PALOS VERDES LANDFILL DPRIR

## LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1990

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ06754	TRIP BLANK 12/10/90	VOC's 12/11/90
SJ06832	TRIP BLANK 12/11/90	VOC's 12/12/90
SJ06924	TRIP BLANK 12/12/90	VOC's 12/13/90
SJ07001	TRIP BLANK 12/13/90	VOC's 12/14/90
SJ07114	TRIP BLANK 12/17/90	VOC's 12/18/90
SJ90094	TRIP BLANK FOR PVLF SAMPLES 90085-90088 01/03/90	VOC'S 1/4/90
SJ90206	FIELD BLANK FOR SJ#90202 - 90205 01/08/90	VOC'S 1/16/90
SJ90271	FIELD BLANK FOR SJ#90267 - 90270 01/09/90	VOC'S 1/22/90
SJ90325	FIELD BLANK BLANK FOR SJ 90323-90324. 01/10/90	VOC'S 1/22/90
SJ90329	FIELD BLANK FOR SJ 90326-90328.. 01/09/90	VOC'S 1/26/90
SJ91095	FIELD BLANK FOR 91091-91094 02/01/90	VOC'S 2/9/90
SJ91153	FIELD BLANK FOR 91149-91152 02/02/90	VOC'S 2/15/90
SJ92367	TRIP BLANK FOR 92363-92366 03/05/90	VOC'S 3/6/90
SJ92387	FIELD BLANK FOR 92384-92386 03/06/90	VOC'S 3/9/90
SJ92467	FIELD BLANK FOR 92463-92466 03/07/90	VOC'S 3/9/90
SJ92527	FIELD BLANK FOR 92524-92526 03/08/90	VOC'S 3/12/90
SJ92532	FIELD BLANK FOR 92528-92530 03/08/90	VOC'S 3/12/90

## PALOS VERDES LANDFILL DPRIR

## LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1990

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ92668	FIELD BLANK FOR 92664-92667 03/12/90	VOC'S 3/16/90
SJ92736	FIELD BLANK FOR 92732-92735 03/13/90	VOC'S 3/16/90
SJ92789	FIELD BLANK FOR 92784-92788 03/14/90	VOC'S 3/19/90
SJ92872	FIELD BLANK FOR 92865-92871 03/15/90	VOC'S 3/19/90
SJ93561	FIELD BLANK FOR 93557-93560 04/02/90	VOC'S 4/9/90
SJ93612	FIELD BLANK FOR 93608-93611 04/03/90	VOC'S 4/11/90
SJ93674	FIELD BLANK FOR 93672-93673 04/04/90	VOC'S 4/12/90
SJ93809	FIELD BLANK FOR 93803-93808 04/06/90	VOC'S 4/12/90
SJ95534	FIELD BLANK FOR 95530-95533 05/01/90	VOC'S 5/4/90
SJ95621	FIELD BLANK FOR 95616-95620 05/02/90	VOC'S 5/4/90
SJ97383	FIELD BLANK FOR 97379-97382 06/05/90	VOC'S 6/6/90
SJ97477	FIELD BLANK FOR 97473-97476 06/06/90	VOC'S 6/7/90
SJ97555	FIELD BLANK FOR 97550-97554 06/07/90	VOC'S 6/8/90
SJ97683	FIELD BLANK FOR 97679-97682 06/11/90	VOC'S 6/12/90
SJ97706	FIELD BLANK FOR 97705 06/11/90	VOC'S 6/13/90
SJ97760	FIELD BLANK FOR 97756-97759 06/12/90	VOC'S 6/13/90
SJ97783	FIELD BLANK FOR 97778-97782 06/12/90	VOC'S 6/21/90

PALOS VERDES LANDFILL DPRIR  
LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1990

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ97817	FIELD BLANK FOR 97813-97816 06/13/90	VOC's 6/14/90
SJ97845	TRIP BLANK FOR 97843-97844 T-003 06/13/90	VOC's 6/21/90
SJ97950	TRIP BLANK FOR 97949, F.I. T-004 06/14/90	VOC's 6/21/90
SJ98050	TRIP BLANK, T-005 06/15/90	VOC's 6/21/90
SJ98091	TRIP BLANK, PREPARED AT PVLf SITE, F.I. T-006 06/18/90	VOC's 6/20/90 ANALYZED AT SJCWQL XYLENES:4.4UG/L
SJ98146	TRIP BLANK FOR 98144, T-007 06/19/90	VOC's 6/21/90
SJ98227	TRIP BLANK, F.I. T-008 06/20/90	VOC's 6/22/90
SJ98284	TRIP BLANK FOR 98277-98283, F.I. T-009 06/21/90	VOC's 6/25/90
SJ98344	TRIP BLANK, F.I. T-010 06/22/90	VOC's 6/27/90
SJ98424	TRIP BLANK FOR 98421-98423, F.I. T-011 06/25/90	VOC's 6/29/90
SJ98502	TRIP BLANK, T-012 06/26/90	VOC's 7/2/90
SJ98584	TRIP BLANK FOR 98581-98583, F.I.T-013 06/27/90	VOC's 7/2/90
SJ98675	TRIP BLANK, F.I. T-014 06/28/90	VOC's 7/2/90
SJ98764	TRIP BLANK FOR 98759-98763 07/02/90	VOC's 7/3/90
SJ98796	TRIP BLANK, F.I. T-015 07/02/90	VOC's 7/11/90
SJ98814	TRIP BLANK FOR 98810-98813 07/03/90	VOC's 7/6/90
SJ98888	TRIP BLANK, F.I. T-016 07/05/90	VOC's 7/10/90

## PALOS VERDES LANDFILL DPRIR

## LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1990

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ98952	TRIP BLANK, F.I. T-017 07/06/90	VOC's 7/10/90
SJ98998	TRIP BLANK, F.I. T-018 07/09/90	VOC's 7/11/90
SJ99048	TRIP BLANK, F.I. T-019 07/10/90	VOC's 7/12/90
SJ99107	TRIP BLANK, F.I. T-020 07/11/90	VOC's 7/16/90
SJ99166	TRIP BLANK, T-021 07/12/90	VOC's 7/16/90
SJ99238	TRIP BLANK, F.I. 7-022 07/13/90	VOC's 7/18/90
SJ99321	TRIP BLANK, F.I. T-023 07/17/90	VOC's 7/20/90
SJ99571	TRIP BLANK, F.I. T-024 07/18/90	VOC'S 7/26/90
SJ99646	TRIP BLANK, F.I. T-025 07/25/90	VOC'S 7/27/90
SJ99720	TRIP BLANK, F.I. T-026 07/26/90	VOC's 7/30/90
SJ99796	TRIP BLANK, F.I. T-026 07/27/90	VOC's 7/31/90
SJ99859	TRIP BLANK, F.I. T-027 07/30/90	VOC's 8/1/90
SJ99952	TRIP BLANK, F.I. T-028 07/31/90	VOC's 8/2/90
SJ99998	TRIP BLANK, F.I. T-029 08/01/90	VOC'S 8/3/90



## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP
		SJ90094	SJ10248	SJ90206	SJ90271	SJ90329	SJ90325	SJ91095	SJ91153	SJ92367	SJ92387
		01/03/90	01/08/90	01/08/90	01/09/90	01/09/90	01/10/90	02/01/90	02/02/90	03/05/90	03/06/90
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5	< 2.5	< 3.0	< 5.0
CHLOROFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TOLUENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYL BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
CHLOROETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
2-CHLOROETHYL VINYLETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ACETONE	UG/L	< 10		130	190		< 10			11	< 10
CIS-1,2-DICHLOROETHYLENE	UG/L			< 0.5	< 0.5		< 0.5				
2-BUTANONE	UG/L	< 10		< 10	< 10		< 10			< 10	< 10

## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP
		03/07/90	03/08/90	03/08/90	03/12/90	03/13/90	03/14/90	03/15/90	04/02/90	04/03/90	04/04/90
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 1.5	< 2.2	< 2.2	< 4.0	< 4.0	< 4.0	< 4.0	< 7.0	1.0	< 1.0
CHLOROFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TOLUENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYL BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-XYLENE	UG/L		< 0.5								
P-XYLENE	UG/L		< 0.5								
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
CHLOROETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
2-CHLOROETHYL VINYL ETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ACETONE	UG/L	< 10		< 10	< 10	< 10	18	< 10	< 10	18	< 15
2-BUTANONE	UG/L	< 10		< 10	< 10	< 10		< 10	< 10	< 10	< 10





## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP
		SJ98502	SJ98584	SJ98675	SJ98764	SJ98796	SJ98814	SJ98888	SJ98952	SJ98998	SJ99048
		06/26/90	06/27/90	06/28/90	07/02/90	07/02/90	07/03/90	07/05/90	07/06/90	07/09/90	07/10/90
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TOLUENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYL BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
CHLOROETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
2-CHLOROETHYLVINYLETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ACETONE	UG/L				< 10		< 10				
CIS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5		< 0.5			< 0.5	< 0.5	< 0.5
2-BUTANONE	UG/L				< 10		< 10				









## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP
		SJ01516	SJ01630	SJ01741	SJ01693	SJ01857	SJ02000	SJ02040	SJ02084	SJ02149	SJ02163
		08/29/90	08/31/90	09/04/90	09/05/90	09/06/90	09/10/90	09/10/90	09/11/90	09/11/90	09/12/90
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TOLUENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYL BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
CHLOROETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
2-CHLOROETHYL VINYLETHYL ETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ACETONE	UG/L				< 10		< 10		< 10		< 10
CIS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5		< 0.5		< 0.5		< 0.5	
2-BUTANONE	UG/L				< 10		< 10		< 10		< 10

## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP
		SJ90094	SJ10248	SJ90206	SJ90271	SJ90329	SJ90325	SJ91095	SJ91153	SJ92367
		01/03/90	01/08/90	01/08/90	01/09/90	01/09/90	01/10/90	02/01/90	02/02/90	03/05/90
VOLATILE ORGANIC COMPOUND										
METHYLENE CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	0.7	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROFORM	UG/L	< 0.5	< 0.5	< 0.5	0.6	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLORO BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BENZENE	UG/L	0.6	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TOLUENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYL BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
CHLOROETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
2-CHLOROETHYL VINYLETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ACETONE	UG/L		< 10		< 10					
CIS-1,2-DICHLOROETHYLENE	UG/L	< 0.5		< 0.5		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
2-BUTANONE	UG/L		< 10		< 10					

## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	
		TRIP SJ90094 01/03/90	TRIP SJ10248 01/08/90	TRIP SJ90206 01/08/90	TRIP SJ90271 01/09/90	TRIP SJ90329 01/09/90	TRIP SJ90325 01/10/90	TRIP SJ91095 02/01/90	TRIP SJ91153 02/02/90	TRIP SJ92367 03/05/90	
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0
CHLOROFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TOLUENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYL BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-XYLENE	UG/L		< 0.5								
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
CHLOROETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
2-CHLOROETHYLVINYLETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ACETONE	UG/L		< 10	< 10	36	< 20					
CIS-1,2-DICHLOROETHYLENE	UG/L	< 0.5				< 0.5		< 0.5	< 0.5		
2-BUTANONE	UG/L		< 10	< 10	< 10	< 20					
M+P-XYLENE	UG/L			< 0.5							

## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	
		SJ90094	SJ10248	SJ90206	SJ90271	SJ90329	SJ90325	SJ91095	SJ91153	SJ92367
		01/03/90	01/08/90	01/08/90	01/09/90	01/09/90	01/10/90	02/01/90	02/02/90	03/05/90
VOLATILE ORGANIC COMPOUND										
METHYLENE CHLORIDE	UG/L	< 1.0	< 0.5	6.5	< 0.5	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TOLUENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	0.7	< 0.5	< 0.5	< 0.5	0.6
ETHYL BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHYLEN	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
CHLOROETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
2-CHLOROETHYL VINYLETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ACETONE	UG/L	< 10	< 10	< 20	23	< 20	< 20	< 20	< 20	< 20
2-BUTANONE	UG/L	< 10	< 10	< 20	< 10	< 20	< 20	< 20	< 20	< 10

## PALOS VERDES LANDFILL DPRIR

## LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1991

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ10199	TRIP BLANK FOR 10194-10198 01/07/91	VOC's 1/9/91
SJ10248	FIELD BLANK FOR PVLf 10245-10247 01/08/90	VOC's 1/9/91
SJ10428	TRIP BLANK FOR 10422-10427 01/09/91	VOC'S MONTGOMERY LABS
SJ10812	TRIP BLANK 01/17/91	VOC'S MONTGOMERY LABS
SJ11591	TRIP BLANK 02/04/91	VOA'S MONTGOMERY LABS
SJ11913	TRIP BLANK 11908, 11909 02/11/91	VOC's 2/12/91
SJ12733	TRIP BLANK FOR 12731-12732 02/28/91	VOC's 3/7/91
SJ12775	TRIP BLANK FOR 12773-12774 03/01/91	VOC's 3/4/91
SJ13160	TRIP BLANK FOR 13157 - 13159 03/11/91	VOLATILE ORGANICS BY MONTGOMERY LAB
SJ13315	TRIP BLANK FOR 13311-13314 03/14/91	VOA'S MONTGOMERY LABS
SJ13347	TRIP BLANK FOR 13344-13346 03/15/91	VOA'S MONTGOMERY LABS
SJ13834	TRIP BLANK FOR 13829-13833 03/28/91	VOC's 4/1/91
SJ13954	TRIP BLANK FOR 13951-13953 04/02/91	VOC's 4/3/91
SJ14017	TRIP BLANK FOR 14013-14016 04/03/91	VOC's 4/4/91
SJ14098	TRIP BLANK FOR 14092-14097 04/04/91	VOC's 4/8/91
SJ15091	TRIP BLANK FOR 15086-15090 04/26/91	VOC's 4/30/91
SJ15215	TRIP BLANK FOR 15213-15214 04/30/91	VOC's 5/1/91

PALOS VERDES LANDFILL DPRIR

LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1991

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ15503	TRIP BLANK FOR 15511 05/06/91	VOC's 5/7/91
SJ15654	TRIP BLANK FOR 15649-15653 05/08/91	VOC's 5/13/91
SJ15705	TRIP BLANK FOR 15701-15704 05/09/91	VOC's 5/13/91
SJ16504	TRIP BLANK FOR 16500-16503 05/23/91	VOC's 5/29/91
SJ16972	TRIP BLANK FOR 16969-16971 06/03/91	VOC's 6/5/91
SJ17019	TRIP BLANK FOR 17014-17017 06/04/91	VOC's 6/4/91
SJ17884	TRIP BLANK FOR 17778-17883 06/19/91	VOC's 6/26/91
SJ18552	TRIP BLANK FOR 18545-18551 07/03/91	VOC's 7/11/91
SJ18797	TRIP BLANK FOR 18792-18796 07/11/91	VOC's 7/12/91
SJ20671	TRIP BLANK 08/12/91	VOC's 8/15/91
SJ20742	TRIP BLANK FOR 20737-20741 08/13/91	VOA'S = MONTGOMERY LABS TEST CODES AND RESULTS FOR ADDITIONAL VOC WERE ADDED. (HKS)
SJ20818	TRIP BLANK FOR 20714-20817 08/14/91	VOA'S = MONTGOMERY LABS TEST CODES AND DATA FOR ADDITIONAL VOC WERE ADDED. (HKS)
SJ20890	TRIP BLANK FOR 20887-20889 08/16/91	VOA'S = MONTGOMERY LABS UNITS DEFAULTED TO WRONG MAGNITUDE, CORRECTION WAS MADE(HK)
SJ22081	TRIP BLANK FOR 22078-22080 09/06/91	VOC's 9/9/91 ACETONE:11UG/L
SJ22179	TRIP BLANK FOR 22175-22178 09/09/91	VOA'S = MONTGOMERY LABS
SJ22265	TRIP BLANK FOR 22260-22264 09/10/91	VOA'S = MONTGOMERY LABS
SJ22328	TRIP BLANK FOR 22324-22327 09/11/91	VOA'S = MONTGOMERY LABS

PALOS VERDES LANDFILL DPRIR  
LABORATORY NOTES FOR TRIP BLANK SAMPLES, 1991

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ22462	TRIP BLANK FOR 22458-22461 09/12/91	VOA'S = MONTGOMERY LABS
SJ22495	TRIP BLANK FOR 22492-22494 09/13/91	ACETONE: 10 UG/L;
SJ22518	TRIP BLANK FOR WELL M34B 09/16/91	VOC'S 9/17/91
SJ23435	TRIP BLANK FOR 23432-23434 10/02/91	VOC'S 10/3/91
SJ23701	TRIP BLANK FOR 23696-23700 10/08/91	VOC'S 10/10/91
SJ23784	TRIP BLANK FOR 23779-23783 10/09/91	VOC'S 10/11/91
SJ23812	TRIP BLANK FOR 23811 10/10/91	VOC'S 10/11/91 ACETONE: 21UG/L
SJ23852	TRIP BLANK FOR 23849-23851 10/11/91	VOC'S 10/15/91
SJ25851	TRIP BLANK FOR 25847-25850 11/04/91	VOC'S 11/06/91 ACETONE: 17 UG/L
SJ26287	TRIP BLANK FOR 26279-26286 11/06/91	VOC'S 11/07/91
SJ26353	TRIP BLANK FOR 26348-26352 11/07/91	VOC'S 11/13/91
SJ27728	TRIP BLANK FOR 27724-27727 12/09/91	VOC'S 12/10/91
SJ27798	TRIP BLNK FOR 27793-27797 12/10/91	VOC'S 12/11/91
SJ27878	TRIP BLANK FOR 27874-27877 12/11/91	VOC'S 12/12/91
SJ28070	TRIPBLANK FOR 28067-28069 12/13/91	VOC'S 12/17/91
SJ28121	TRIP BLANK FOR 28116-28120 12/16/91	VOC'S 12/17/91

COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

WATER QUALITY MONITORING DATA

PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP
		SJ10199	SJ10428	SJ10812	SJ11591	SJ11913	SJ12733	SJ12775	SJ13160	SJ13315	SJ13347
		01/07/91	01/09/91	01/17/91	02/04/91	02/11/91	02/28/91	03/01/91	03/11/91	03/14/91	03/15/91
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 0.5	< 5.0	< 5.0	< 5.0	< 1.5	< 0.5	< 1.0	< 5.0	< 5.0	< 5.0
CHLOROFORM	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50
CARBON TETRACHLORIDE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.50
1,1-DICHLOROETHENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.50
TRICHLOROETHYLENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.50
TETRACHLOROETHYLENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.50
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50
BROMOFORM	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50
CHLOROBENZENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50
VINYL CHLORIDE	UG/L	< 0.5	< 1.0	< 1.0	< 1.0	< 0.5	< 0.5	< 0.5	< 1.0	< 1.0	< 1.0
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50
1,1-DICHLOROETHANE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.50
1,1,2-TRICHLOROETHANE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.50
1,2-DICHLOROETHANE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.50
BENZENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 1.0	< 0.50	< 0.50	< 0.50
TOLUENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.50
ETHYL BENZENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.50
O-XYLENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.50
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.50
BROMOMETHANE	UG/L	< 2.5	< 1.0	< 1.0	< 1.0	< 2.5	< 2.5	< 2.5	< 1.0	< 1.0	< 1.0
CHLOROETHANE	UG/L	< 2.5	< 1.0	< 1.0	< 1.0	< 2.5	< 2.5	< 2.5	< 1.0	< 1.0	< 1.0
2-CHLOROETHYL VINYL ETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 2.5	< 1.0	< 1.0	< 1.0	< 2.5	< 2.5	< 2.5	< 1.0	< 1.0	< 1.0
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.50
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.50
ACROLEIN	UG/L	< 2.5	< 1.0		< 1.0				< 1.0	< 1.0	< 1.0
ACRYLONITRILE	UG/L	< 5.0	< 1.0		< 1.0				< 1.0	< 1.0	< 1.0
M+P-XYLENE	UG/L			< 0.50	< 0.50			< 0.3	< 0.50	< 0.50	< 0.50

FOOTNOTES : A-AMENDED TEST RESULT





## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP
		06/03/91	06/04/91	06/19/91	07/03/91	07/09/91	07/10/91	07/11/91	08/12/91	08/13/91	08/14/91
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 3.0	< 3.0	< 0.5	< 3.0	< 3.0	< 3.0
CHLOROFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5	< 0.5	< 0.50	< 0.50
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5	< 0.5	< 0.50	< 0.50
CARBON TETRACHLORIDE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3	< 0.3	< 0.50	< 0.50
1,1-DICHLOROETHENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3	< 0.3	< 0.50	< 0.50
TRICHLOROETHYLENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3	< 0.3	< 0.50	< 0.50
TETRACHLOROETHYLENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3	< 0.3	< 0.50	< 0.50
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5	< 0.5	< 0.50	< 0.50
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5	< 0.5	< 0.50	< 0.50
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5	< 0.5	< 0.50	< 0.50
CHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5	< 0.5	< 0.50	< 0.50
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 1.0	< 0.5	< 0.5	< 1.0	< 1.0
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5	< 0.5	< 0.50	< 0.50
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5	< 0.5	< 0.50	< 0.50
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5	< 0.5	< 0.50	< 0.50
1,1-DICHLOROETHANE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3	< 0.3	< 0.50	< 0.50
1,1,2-TRICHLOROETHANE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3	< 0.3	< 0.50	< 0.50
1,2-DICHLOROETHANE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3	< 0.3	< 0.50	< 0.50
BENZENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3	< 0.3	< 0.50	< 0.50
TOLUENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3	< 0.3	< 0.50	< 0.50
ETHYL BENZENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3	< 0.3	< 0.50	< 0.50
O-XYLENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5	< 0.5	< 0.50	< 0.50
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3	< 0.3	< 0.50	< 0.50
BROMOMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 1.0	< 1.0	< 2.5	< 2.5	< 1.0	< 1.0
CHLOROETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 1.0	< 1.0	< 2.5	< 2.5	< 1.0	< 1.0
2-CHLOROETHYL VINYLETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 1.0	< 1.0	< 2.5	< 2.5	< 1.0	< 1.0
1,2-DICHLOROPROPANE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3	< 0.3	< 0.50	< 0.50
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5	< 0.5	< 0.50	< 0.50
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5	< 0.5	< 0.50	< 0.50
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5	< 0.5	< 0.50	< 0.50
ACROLEIN	UG/L					< 1.0	< 1.0		< 2.5	< 1.0	< 1.0
ACRYLONITRILE	UG/L					< 1.0	< 1.0		< 1.0	< 1.0	< 1.0
FREON 11 (CCL3F)	UG/L					< 1.0	< 1.0			< 1.0	< 1.0
ACETONE	UG/L					< 10	< 10			< 10	< 10
CIS-1,2-DICHLOROETHYLENE	UG/L					< 0.50	< 0.50			< 0.50	< 0.50
TETRAHYDROFURAN	UG/L					< 10.0	< 10.0			< 10	< 10
2-BUTANONE	UG/L					< 1.0	< 1.0			< 1.0	< 1.0
4-METHYL-2-PENTANONE	UG/L					< 1.0	< 1.0			< 1.0	< 1.0
STYRENE	UG/L					< 0.50	< 0.50			< 0.50	< 0.50
M+P-XYLENE	UG/L				< 0.5	< 0.50	< 0.50			< 0.50	< 0.50

FOOTNOTES : A-AMENDED TEST RESULT

## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP
		SJ20890	SJ21542	SJ22081	SJ22179	SJ22265	SJ22328	SJ22462	SJ22495	SJ22518	SJ23435
		08/16/91	08/27/91	09/06/91	09/09/91	09/10/91	09/11/91	09/12/91	09/13/91	09/16/91	10/02/91
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 3.0	< 3.0	< 1.0	< 3.0	< 7.5	< 3.0	< 3.0	< 1.0	< 1.0	< 1.0
CHLOROFORM	UG/L	< 0.50	< 0.5	< 0.5	< 0.50	< 1.25	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.50	< 0.5	< 0.5	< 0.50	< 1.25	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.50	< 0.5	< 0.3	< 0.50	< 1.25	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
1,1-DICHLOROETHENE	UG/L	< 0.50	< 0.5	< 0.3	< 0.50	< 1.25	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
TRICHLOROETHYLENE	UG/L	< 0.50	< 0.5	< 0.3	< 0.50	< 1.25	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
TETRACHLOROETHYLENE	UG/L	< 0.50	< 0.5	< 0.3	< 0.50	< 1.25	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
BROMODICHLOROMETHANE	UG/L	< 0.50	< 0.5	< 0.5	< 0.50	< 1.25	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.50	< 0.5	< 0.5	< 0.50	< 1.25	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.50	< 0.5	< 0.5	< 0.50	< 1.25	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	UG/L	< 0.50	< 0.5	< 0.5	< 0.50	< 1.25	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 1.0	< 1.0	< 0.5	< 1.0	< 2.5	< 1.0	< 1.0	< 0.5	< 0.5	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.50	< 0.5	< 0.5	< 0.50	< 1.25	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.50	< 0.5	< 0.5	< 0.50	< 1.25	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.50	< 0.5	< 0.5	< 0.50	< 1.25	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.50	< 0.5	< 0.3	< 0.50	< 1.25	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
1,1,2-TRICHLOROETHANE	UG/L	< 0.50	< 0.5	< 0.3	< 0.50	< 1.25	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
1,2-DICHLOROETHANE	UG/L	< 0.50	< 0.5	< 0.3	< 0.50	< 1.25	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
BENZENE	UG/L	< 0.50	< 0.5	< 0.3	< 0.50	< 1.25	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
TOLUENE	UG/L	< 0.50	< 0.5	< 0.3	< 0.50	< 1.25	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
ETHYL BENZENE	UG/L	< 0.50	< 0.5	< 0.3	< 0.50	< 1.25	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
O-XYLENE	UG/L	< 0.50	< 0.5		< 0.50	< 1.25	< 0.50	< 0.50	< 0.5		
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.50	< 0.5	< 0.3	< 0.50	< 1.25	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
BROMOMETHANE	UG/L	< 1.0	< 1.0	< 2.5	< 1.0	< 2.5	< 1.0	< 1.0	< 2.5	< 2.5	< 2.5
CHLOROETHANE	UG/L	< 1.0	< 1.0	< 2.5	< 1.0	< 2.5	< 1.0	< 1.0	< 2.5	< 2.5	< 2.5
2-CHLOROETHYLVINYLETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 2.5	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 1.0	< 1.0	< 2.5	< 1.0	< 2.5	< 1.0	< 1.0	< 2.5	< 2.5	< 2.5
1,2-DICHLOROPROPANE	UG/L	< 0.50	< 0.5	< 0.3	< 0.50	< 1.25	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.50	< 0.5	< 0.5	< 0.50	< 1.25	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.50	< 0.5	< 0.5	< 0.50	< 1.25	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.50	< 0.5	< 0.5	< 0.50	< 1.25	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
ACROLEIN	UG/L	< 1.0	< 1.0		< 1.0	< 2.5	< 1.0	< 1.0			
ACRYLONITRILE	UG/L	< 1.0	< 1.0		< 1.0	< 2.5	< 1.0	< 1.0			
FREON 11 (CCL3F)	UG/L	< 1.0	< 1.0		< 1.0	< 2.5	< 1.0	< 1.0			
ACETONE	UG/L	< 10	< 10.0		< 10	< 25	< 10	< 10			
CIS-1,2-DICHLOROETHYLENE	UG/L	< 0.50	< 0.5		< 0.50	< 1.25	< 0.50	< 0.50			
TETRAHYDROFURAN	UG/L	< 10	A < 10.0		< 10	< 25	< 10	< 10			
2-BUTANONE	UG/L	< 1.0	< 1.0		< 1.0	< 2.5	< 1.0	< 1.0			
4-METHYL-2-PENTANONE	UG/L	< 1.0	A < 1.0		< 1.0	< 2.5	< 1.0	< 1.0			
STYRENE	UG/L	< 0.50	A < 0.5		< 0.50	< 1.25	< 0.50	< 0.50			
M+P-XYLENE	UG/L	< 0.50	< 0.5		< 0.50	< 1.25	< 0.50	< 0.50	< 0.5		

FOOTNOTES : A-AMENDED TEST RESULT

## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	
		SJ23701	SJ23784	SJ23812	SJ23852	SJ25851	SJ26287	SJ26353	SJ26523	SJ27590	SJ27728
		10/08/91	10/09/91	10/10/91	10/11/91	11/04/91	11/06/91	11/07/91	11/12/91	12/05/91	12/09/91
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 3.0	< 3.0	< 1.0
CHLOROFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3
1,1-DICHLOROETHENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3
TRICHLOROETHYLENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3
TETRACHLOROETHYLENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5
CHLOROENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0	< 1.0	< 0.5
O-DICHLOROENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5
M-DICHLOROENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5
P-DICHLOROENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3
1,1,2-TRICHLOROETHANE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3
1,2-DICHLOROETHANE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3
BENZENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3
TOLUENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3
ETHYL BENZENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3
O-XYLENE	UG/L								< 0.50	< 0.50	
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.3
BROMOMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 1.0	< 1.0	< 2.5
CHLOROETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 1.0	< 1.0	< 2.5
2-CHLOROETHYLVINYLETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 1.0	< 1.0	< 2.5
1,2-DICHLOROPROPANE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50	< 0.50	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50	< 0.50	< 0.5
ACROLEIN	UG/L								< 1.0	< 1.0	
ACRYLONITRILE	UG/L								< 1.0	< 1.0	
FREON 11 (CCL3F)	UG/L								< 1.0	< 1.0	
ACETONE	UG/L								< 10	< 10	
CIS-1,2-DICHLOROETHYLENE	UG/L								< 0.5	< 0.50	
TETRAHYDROFURAN	UG/L								< 10	< 10	
2-BUTANONE	UG/L								< 1.0	< 1.0	
4-METHYL-2-PENTANONE	UG/L								< 1.0	< 1.0	
STYRENE	UG/L								< 0.50	< 0.50	
M+P-XYLENE	UG/L				< 0.5				< 0.50	< 0.50	

FOOTNOTES : A-AMENDED TEST RESULT

## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP	TRIP	TRIP	TRIP	TRIP
		SJ27798	SJ27878	SJ28070	SJ28121	SJ28681
		12/10/91	12/11/91	12/13/91	12/16/91	12/31/91
VOLATILE ORGANIC COMPOUND						
METHYLENE CHLORIDE	UG/L	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50
CARBON TETRACHLORIDE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50
1,1-DICHLOROETHENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50
TRICHLOROETHYLENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50
TETRACHLOROETHYLENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50
CHLORO BENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50
1,1-DICHLOROETHANE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50
1,1,2-TRICHLOROETHANE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50
1,2-DICHLOROETHANE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50
BENZENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50
TOLUENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50
ETHYL BENZENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50
O-XYLENE	UG/L			< 0.5		< 0.50
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.3	< 0.50
BROMOMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 1.0
CHLOROETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 1.0
2-CHLOROETHYL VINYL ETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 2.5	< 1.0
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.50
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.5	< 1.0
ACROLEIN	UG/L					< 1.0
ACRYLONITRILE	UG/L					< 1.0
FREON 11 (CCL3F)	UG/L					< 1.0
ACETONE	UG/L					< 10
CIS-1,2-DICHLOROETHYLENE	UG/L					< 0.50
TETRAHYDROFURAN	UG/L					< 10.0
2-BUTANONE	UG/L					< 1.0
4-METHYL-2-PENTANONE	UG/L					< 1.0
STYRENE	UG/L					< 0.50
M+P-XYLENE	UG/L			< 0.5		< 0.50

FOOTNOTES : A-AMENDED TEST RESULT

PALOS VERDES LANDFILL DPRIR  
LABORATORY NOTES FOR TRIP BLANKS, 1992

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ31704	TRIP BLANK FOR 31701-31702 02/04/92	VOC's 2/5/92
SJ32411	TRIP BLANK FOR 32408-32410 02/19/92	VOC's 2/25/92
SJ33035	TRIP BLANK FOR 33033-33034 03/02/92	VOC's 3/3/92
SJ33106	TRIP BLANK FOR 33103-33105 03/03/92	VOC's 3/6/92
SJ33830	TRIP BLANK FOR 33825 THROUGH 33829 03/13/92	VOC's 3/17/92
SJ34660	TRIP BLANK FOR SJ 34649 TO 34653 03/27/92	VOC's 3/30/92
SJ34700	TRIP BLANK FOR SJ 34695-34699 03/30/92	VOC's 4/2/92
SJ34781	TRIP BLANK FOR 34775-34780 03/31/92	VOC's 4/2/92
SJ35651	TRIP BLANK FOR 35647-35650 04/15/92	VOC's 4/17/92
SJ36744	TRIP BLANK FOR 36740-36743 05/05/92	VOC's 5/6/92
SJ36941	TRIP BLANK FOR SJ 36937-36940 05/07/92	VOC's 5/11/92
SJ38102	TRIP BLANK FOR 38096-38101 06/01/92	VOC's 6/2/92
SJ38160	TRIP BLANK FOR 38156-38159 06/02/92	VOC's 6/3/92
SJ38269	TRIP BLANK FOR 38264-38267 06/03/92	VOC's 6/4/92
SJ38340	TRIP BLANK FOR 38337-38339 06/04/92	VOC's 6/8/92
SJ38409	TRIP BLANK FOR 38406-38408 06/05/92	VOC's 6/9/92
SJ38415	PVLF TRIP BLANK FOR SJB 38411-38414 06/05/92	VOC's 6/9/92

PALOS VERDES LANDFILL DPRIR  
LABORATORY NOTES FOR TRIP BLANKS, 1992

JOB	SAMPLE DESCRIPTION / SAMPLE DATE	NOTES
SJ39657	TRIP BLANK FOR 39656 06/30/92	VOC's 7/1/92

## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	
		TRIP SJ30038 01/02/92	TRIP SJ30215 01/07/92	TRIP SJ30897 01/21/92	TRIP SJ31601 02/03/92	TRIP SJ31704 02/04/92	TRIP SJ31769 02/05/92	TRIP SJ31963 02/10/92	TRIP SJ32411 02/19/92	TRIP SJ33000 02/29/92	TRIP SJ33035 03/02/92
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 3.0	< 3.0	< 3.0	< 3.0	< 1.0	< 3.0	< 3.0	< 2.0	< 3.0	< 1.0
CHLOROFORM	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.3
1,1-DICHLOROETHENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.3
TRICHLOROETHYLENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.3
TETRACHLOROETHYLENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.3
BROMODICHLOROMETHANE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5
BROMOFORM	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5
CHLOROBENZENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5
VINYL CHLORIDE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 0.5	< 1.0	< 1.0	< 0.5	< 1.0	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.3
1,1,2-TRICHLOROETHANE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.3
1,2-DICHLOROETHANE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.3
BENZENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.3
TOLUENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.3
ETHYL BENZENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.3
O-XYLENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.3
BROMOMETHANE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 2.5	< 1.0	< 1.0	< 2.5	< 1.0	< 2.5
CHLOROETHANE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 2.5	< 1.0	< 1.0	< 2.5	< 1.0	< 2.5
2-CHLOROETHYLVINYLETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 2.5	< 1.0	< 1.0	< 2.5	< 1.0	< 2.5
1,2-DICHLOROPROPANE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.5
ACROLEIN	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
ACRYLONITRILE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
FREON 11 (CCL3F)	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
ACETONE	UG/L	< 10	< 10.0	< 10.0	< 10.0	< 10.0	< 10	< 10	< 10	< 10	< 20
CIS-1,2-DICHLOROETHYLENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
TETRAHYDROFURAN	UG/L	< 10	< 10	< 10.0	< 10.0	< 10.0	< 10	< 10	< 10	< 10	< 10
2-BUTANONE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
4-METHYL-2-PENTANONE	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
STYRENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
M+P-XYLENE	UG/L	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50



## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	
		TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	TRIP	
		SJ33106	SJ33121	SJ33376	SJ33830	SJ33841	SJ33864	SJ33955	SJ34660	SJ34700	SJ34781
		03/03/92	03/03/92	03/05/92	03/13/92	03/13/92	03/14/92	03/17/92	03/27/92	03/30/92	03/31/92
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 2.0	< 3.0	< 3.0	< 1.0	< 3.0	< 3.0	< 3.0	< 1.0	< 1.0	< 1.0
CHLOROFORM	UG/L	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
1,1-DICHLOROETHENE	UG/L	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
TRICHLOROETHYLENE	UG/L	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
TETRACHLOROETHYLENE	UG/L	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
CHLORO BENZENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 1.0	< 1.0	< 0.5	< 1.0	< 1.0	< 1.0	< 0.5	< 0.5	< 0.5
O-DICHLORO BENZENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
M-DICHLORO BENZENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
P-DICHLORO BENZENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
1,1,2-TRICHLOROETHANE	UG/L	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
1,2-DICHLOROETHANE	UG/L	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
BENZENE	UG/L	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
TOLUENE	UG/L	< 0.3	< 0.50	0.7	< 0.3	0.6	< 0.50	< 0.50	0.4	0.6	0.4
ETHYL BENZENE	UG/L	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
O-XYLENE	UG/L	< 0.5	< 0.50	< 0.50		< 0.50	< 0.50	< 0.50			
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.3	< 0.50	< 0.50	< 0.3	< 0.50	< 0.50	< 0.50	< 0.3	< 0.3	< 0.3
BROMOMETHANE	UG/L	< 2.5	< 1.0	< 1.0	< 2.5	< 1.0	< 1.0	< 1.0	< 2.5	< 2.5	< 2.5
CHLOROETHANE	UG/L	< 2.5	< 1.0	< 1.0	< 2.5	< 1.0	< 1.0	< 1.0	< 2.5	< 2.5	< 2.5
2-CHLOROETHYL VINYL ETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 2.5	< 1.0	< 1.0	< 2.5	< 1.0	< 1.0	< 1.0	< 2.5	< 2.5	< 2.5
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.50	< 0.50	< 0.5	< 0.50	< 0.50	< 0.50	< 0.5	< 0.5	< 0.5
ACROLEIN	UG/L		< 1.0	< 1.0	< 2.5	< 1.0	< 1.0	< 1.0			
ACRYLONITRILE	UG/L		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
FREON 11 (CCL3F)	UG/L		< 1.0	< 1.0		< 1.0	< 1.0	< 1.0			
ACETONE	UG/L		< 10	< 10		< 10	< 10	< 10			
CIS-1,2-DICHLOROETHYLENE	UG/L		< 0.50	< 0.50		< 0.50	< 0.50	< 0.50			
Tetrahydrofuran	UG/L		< 10	< 10		< 10	< 10	< 10			
2-BUTANONE	UG/L		< 1.0	< 1.0		< 1.0	< 1.0	< 1.0			
4-METHYL-2-PENTANONE	UG/L		< 1.0	< 1.0		< 1.0	< 1.0	< 1.0			
STYRENE	UG/L		< 0.50	< 0.50		< 0.50	< 0.50	< 0.50			
M+P-XYLENE	UG/L	< 0.5	< 0.50	< 0.50		< 0.50	< 0.50	< 0.50			

## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

CONSTITUENT/WELL NO.	UNITS	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK	BLNK
		TRIP SJ35651 04/15/92	TRIP SJ36744 05/05/92	TRIP SJ36941 05/07/92	TRIP SJ37263 05/14/92	TRIP SJ38102 06/01/92	TRIP SJ38160 06/02/92	TRIP SJ38269 06/03/92	TRIP SJ38340 06/04/92	TRIP SJ38409 06/05/92	TRIP SJ38415 06/05/92
VOLATILE ORGANIC COMPOUND											
METHYLENE CHLORIDE	UG/L	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.3	< 0.3	< 0.3	< 0.50	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3
1,1-DICHLOROETHENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.50	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3
TRICHLOROETHYLENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.50	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3
TETRACHLOROETHYLENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.50	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3
BROMODICHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
VINYL CHLORIDE	UG/L	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.3	< 0.3	< 0.3	< 0.50	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3
1,1,2-TRICHLOROETHANE	UG/L	< 0.3	< 0.3	< 0.3	< 0.50	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3
1,2-DICHLOROETHANE	UG/L	< 0.3	< 0.3	< 0.3	< 0.50	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3
BENZENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.50	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3
TOLUENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.50	< 0.3	< 0.3	< 0.3	< 0.3	< 0.4	< 0.3
ETHYL BENZENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.50	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3
O-XYLENE	UG/L				< 0.50					< 0.5	
TRANS-1,2-DICHLOROETHYLENE	UG/L	< 0.3	< 0.3	< 0.3	< 0.50	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3
BROMOMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 1.0	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
CHLOROETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 1.0	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
2-CHLOROETHYL VINYL ETHER	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
CHLOROMETHANE	UG/L	< 2.5	< 2.5	< 2.5	< 1.0	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
1,2-DICHLOROPROPANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5	< 0.5	< 0.5	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ACROLEIN	UG/L				< 1.0						
ACRYLONITRILE	UG/L				< 1.0						
FREON 11 (CCL3F)	UG/L				< 1.0						
ACETONE	UG/L				10						
CIS-1,2-DICHLOROETHYLENE	UG/L				< 0.50						
TETRAHYDROFURAN	UG/L				< 10						
2-BUTANONE	UG/L				< 10						
4-METHYL-2-PENTANONE	UG/L				< 10						
STYRENE	UG/L				< 0.50						
M+P-XYLENE	UG/L				< 0.50					< 0.5	

## COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

## WATER QUALITY MONITORING DATA

## PALOS VERDES LANDFILL

-----

		BLNK
		TRIP
		SJ39657
		06/30/92

-----

## VOLATILE ORGANIC COMPOUND

-----

METHYLENE CHLORIDE	UG/L	< 1.0
CHLOROFORM	UG/L	< 0.5
1,1,1-TRICHLOROETHANE	UG/L	< 0.5
CARBON TETRACHLORIDE	UG/L	< 0.3
1,1-DICHLOROETHENE	UG/L	< 0.3
TRICHLOROETHYLENE	UG/L	< 0.3
TETRACHLOROETHYLENE	UG/L	< 0.3
BROMODICHLOROMETHANE	UG/L	< 0.5
DIBROMOCHLOROMETHANE	UG/L	< 0.5
BROMOFORM	UG/L	< 0.5
CHLOROBENZENE	UG/L	< 0.5
VINYL CHLORIDE	UG/L	< 0.5
O-DICHLOROBENZENE	UG/L	< 0.5
M-DICHLOROBENZENE	UG/L	< 0.5
P-DICHLOROBENZENE	UG/L	< 0.5
1,1-DICHLOROETHANE	UG/L	< 0.3
1,1,2-TRICHLOROETHANE	UG/L	< 0.3
1,2-DICHLOROETHANE	UG/L	< 0.3
BENZENE	UG/L	0.4
TOLUENE	UG/L	< 0.3
ETHYL BENZENE	UG/L	< 0.3
TRANS-1,2-DICHLOROETHYLEN	UG/L	< 0.3
BROMOMETHANE	UG/L	< 2.5
CHLOROETHANE	UG/L	< 2.5
2-CHLOROETHYLVINYLETHER	UG/L	< 1.0
CHLOROMETHANE	UG/L	< 2.5
1,2-DICHLOROPROPANE	UG/L	< 0.5
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.5
TRANS-1,3-DICHLOROPROPENE	UG/L	< 0.5
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.5

-----